

12/01/2010

Reform.12

RightFAX

Table of Contents

About the RightFax Plug-in 3
System Requirements 3
Hardware Requirements..... 3
Installation 4
Plugin Registration and Licensing 4
Setting up your First RightFax-Enabled Form 4
Attachment Setup 17
Fax Cover Page 17
Maintenance 18
Troubleshooting..... 18

About the RightFax Plug-in

The Reform Rightfax plug-in will allow Reform 12 to interact with a RightFax server in order to automatically distribute documents to your fax system.

System Requirements

- Reform 12 Enterprise or Reform 12 PDC
- RightFax Plugin
- For Evaluation and Demonstration: Windows XP, Windows 2003 Server, Windows Vista, Windows 7 or Windows 2008 Server (64 Bit Operating Systems are Supported)
- For Production Systems: Windows 2003 Server or Windows 2008 Server (64 Bit Operating Systems are Supported)
- RightFax FaxUtil application installed on the Reform Server (for client)

All required Reform software downloads can be found at www.fabsoft.com >> Downloads section.

Hardware Requirements

- Production System Recommendation (These suggestions are only estimations. High load environments may require multiple servers, or additional hardware.)
 1. Pentium 4 Processor
 2. 4 GB RAM
 3. HDD Space 100 GB (Redundancy recommended)
 4. Battery Backup (UPS)
 5. Dedicated server, no other software products except for virus and security programs.
- Minimum System Requirements for demonstration purposes only
 1. Pentium 4 Processor
 2. 2 GB RAM
 3. HDD Space 30 GB

Hardware specifications depend greatly on the workload and throughput that is required. Higher end processors and greater amounts of memory will increase the amount of information and data that Reform can process thus improving overall system throughput. For load balancing or failover, multiple servers can also be used. (Note: A license for Reform and each plug-in is required for each server running the software.) Before obtaining the server that you plan on utilizing for Reform, please check the plug-ins' user manuals for System Requirements as well as they may require additional hardware. For production systems, we also recommend redundant hard drives utilizing the mirroring features of RAID (Redundant Array of Independent Disks) to minimize data loss and expedite system recovery in the event of a hardware failure.

Battery backups are also suggested to maintain system uptime and reliability in case of power failures.

Installation

To install the Reform Rightfax plugin to your existing Reform 12 installation, download and run the Reform Rightfax installation executable.



Step through the prompts, and the installation will begin. Allow the installation to complete and then read on to the next section to learn how to implement Reform Rightfax to your forms.

The default installation directory for Reform 12 and its plugins is **C:\Program Files\Reform...**. If you have changed the path during the Reform installation routine, or if you are using a 64 bit operating system, please refer to the appropriate path instead of the default one referenced throughout this documentation.

Plugin Registration and Licensing

When evaluating Reform 12, the plugins will also be in an evaluation mode for that period of time. Once Reform has been purchased and licensed, the required plugins must also be licensed in order to continue functioning correctly.

Please see the “Reform 12 Licensing and Registration” section of the Reform 12 User Manual for more information on how to license Reform 12 Plug-ins. After the license is entered, the Reform Spooler will need to be restarted to refresh the licenses. More information regarding the Reform Spooler Service can be found in the Reform 12 User Manual.

Setting up your First RightFax-Enabled Form

In this tutorial, we are going to create a new form from an existing template, and then configure it using the Workflow Designer to send documents to a RightFax server. The RightFax Plug-in can be easily configured by using the Workflow Designer.

First, the Reform Designer must be started. To open it, go to

Start>Programs>Reform...>Designer.

1. For the example, we will be creating a new form with an existing template. Go to **File>New>New**. Select the **Fax** template and click **OK**.




Fax.FTM
Fax Sample - Quote Information


2. When it asks if you would like to open a text file for designing, select **No**.
3. Next, go to **File>Save** to save your form. Name it **Fax.fom**.
4. You can now close the Reform Designer since we have our form which we will be using alongside the Workflow Designer to route the document.

*Now that we have our form, we can begin to fulfill the desired RightFax workflow using the Workflow Designer. First, the Workflow Designer must be started.


5. To open it, go to **Start>Programs>Reform...>Workflow Designer**.
6. Once open, we must go to **File > New...**




7. Select **“Document Automation”** and click **Ok**.




8. You will now notice that your Inputs, Processes and Outputs have been populated by the various plug-ins you have installed (RightFax being one of the Outputs)




9. We can start adding the necessary components to the workflow. First, drag and drop a **Form and File** object onto the workflow by clicking and holding your mouse on **Form and File** and then moving your mouse over to the workflow and releasing the mouse button.




*You will be prompted with the following dialog:




10. Enter a description for the object you just added. This is done by typing in the provided box. Type **“RightFax Demo”** and click **Finish**. This will take you back to your workflow.
11. Now we are ready to configure the **“RightFax Demo”** form and input file. To do so, right click on the newly added object and select **“Configuration...”** or simply **double-click** on it.




12. You are now presented with the Input Setup window. First, we want to select the TextFile or data stream that our form will be using. To do so, you can simply begin typing in the box, or you can browse to find it. We want to select the **Fax.out** file. Click the small folder icon to bring up a window which will let us choose that file. Select the file and click **Open**.



13. After choosing the text file, you are taken back to the Input Setup page so that you can now select a form. Click the small folder icon to bring up a window which will let us choose the desired **Fax.FOM** form file. Select the FOM file and click **Open**.



14. Now that you have both your Input Text File and Reform Form selected, the setup of Form and File is complete. You can quickly double check that the correct files are selected and then click **Finish**.



Input Setup: RightFax Demo


Form and TextFile to be used in the Workflow
Please enter the form name and textfile name or browse for them

Input Text File
"C:\Program Files\Ricoh_Reform_PDC_v12\Backups\Fax.out"

Reform Form
"C:\Program Files\Ricoh_Reform_PDC_v12\Forms\Fax.FOM"

Cancel << Previous **Finish**

15. You will also be prompted to add a page-break field to the forms. At this point, we want to select **No**.
16. To finish the Fax workflow, we want to add a **RightFax** Output. We use the same drag and drop procedure as with the **Form and File** (see step 9). Take your mouse and drag the "**RightFax**" object from under Output onto the workflow somewhere below your Input. Once you release your mouse, you will be prompted to describe **RightFax**. Type "**RightFax**" in the box and then click **Finish**.




Reform Setup: RightFax 1

Please enter a description for RightFax 1

Description
RightFax

Cancel << Previous **Finish**


17. Once you click Finish, you are taken back to your workflow. Your **RightFax** will have a **Red** Caption because it is not yet configured. To configure **RightFax**, you must first connect the Form and File object titled "**RightFax Demo**". To do so, first select the "**Add Connector**" button from the menu bar. Next, drag your mouse from the small "**x**" underneath "**RightFax Demo**" to the small "**x**" above "**RightFax**" as pictured below. When the connection is complete, the connector will turn black (if red, connection has not been made correctly, try again) and the "**RightFax Demo**" caption will turn **green**.



18. You will be prompted to configure **RightFax** upon completing the connection. Click **Yes**. If you chose not to, you can also **double click** on the **RightFax** object or **rightclick** and select "**Configuration...**". This configuration will step you through all the settings necessary for **RightFax** to successfully connect to your **RightFax** server and send faxes. The first page will ask for the server name and the user name that will be used to connect to the **RightFax** server. Fill in the **ServerName** and the **Account Type**, and then click the **Next** button.


The screenshot shows a dialog box titled "RightFax Setup" with a close button in the top right corner. The text inside reads "Please fill in the following information." Below this, there are two input fields: "Server:" with a text box containing "ServerName", and "Account Type:" with a dropdown menu showing "RightFax Account". At the bottom, there are two buttons: "Cancel" and "Next >". The "Next >" button is highlighted with a green border.

19. The next piece of information the configuration requires is the **FaxNumber** where to send the fax to. Enter in a valid fax number by typing it in the provided box and then click **Next**.



The screenshot shows the 'RightFax Wizard' dialog box. The title bar is blue with a close button. The main area has a light beige background. At the top, it says 'Please enter or select a value for *FaxNumber*'. Below that, instructions state: 'To use a static value, please type it in the box below. To use a dynamic value, please click the appropriate button below and then select it from the list.' There are two options: 'Static:' with a text box containing '123-456-7890', and 'Dynamic:' with a button that says 'Click here to select variable (dynamic) information'. At the bottom, there are 'Cancel' and 'Next >' buttons. The 'Next >' button is highlighted with a green border.

20. Next is the “**Recipient’s Name**”. Here, we would like to use data that is available in the data stream instead of a static value. To do so, we first must click the “**Click here to select variable information**” button.



The screenshot shows the 'RightFax Wizard' dialog box. The title bar is blue with a close button. The main area has a light beige background. At the top, it says 'Please enter or select a value for *Recipient's Name*'. Below that, instructions state: 'To use a static value, please type it in the box below. To use a dynamic value, please click the appropriate button below and then select it from the list.' There are two options: 'Static:' with an empty text box, and 'Dynamic:' with a button that says 'Click here to select variable (dynamic) information'. At the bottom, there are 'Cancel', 'Skip', and 'Next >' buttons. The 'Dynamic' button is highlighted with a red border.

*Note-After doing so, we see that a list will appear with the different fields that you can choose for your variable data. If you want to go back to static input mode, you

can do so by clicking the appropriate button for static information and you will then be able type static information.


21. We want to use the dynamic field **ClientName** as the “**Recipient Name**”. Select **ClientName** from the list and click **Next**.

The screenshot shows the 'RightFax Wizard' dialog box. The title bar reads 'RightFax Wizard'. The main text says: 'Please enter or select a value for *Recipient's Name*'. Below this, instructions state: 'To use a static value, please type it in the box below. To use a dynamic value, please click the appropriate button below and then select it from the list.' There are two options: 'Static:' with a button labeled 'Click here to enter static information', and 'Dynamic:' with a list box. The list box contains the following items: ClientAddress= P.O. Box 1391 Indianap, ClientName= Adam Park Resort (highlighted with a red border), CustomerID=ADAMPARK0001, Date=8/28/2008, Description= 32x DVD-ROM 40x DVD-ROM, Discount=\$0.00 \$0.00, ExtPrice=\$49.95 \$39.95, FormKey=Quote, FreightCost=\$0.00, ItemNum= 32X IDE 40X IDE, MasterNum= 331, Misc=\$0.00. At the bottom, there are three buttons: 'Cancel', 'Skip', and 'Next >' (highlighted with a green border).

22. For “**Recipient's Company Name**”, we would like to again use variable data from the print stream. To do so, first click the button “**Click here to select variable data**”. From the list that appears, select **ShipToName** (scroll down) and click **Next**.


The screenshot shows the 'RightFax Wizard' dialog box. The title bar reads 'RightFax Wizard'. The main text says: 'Please enter or select a value for *Recipient's Company Name*'. Below this, instructions state: 'To use a static value, please type it in the box below. To use a dynamic value, please click the appropriate button below and then select it from the list.' There are two options: 'Static:' with a button labeled 'Click here to enter static information', and 'Dynamic:' with a list box. The list box contains the following items: QuoteNum=QTEST1025, ReqShipDate=0/0/0000, SalesPersonID=GREG E., ShippingMethod=GROUND, ShipToAddress= Suite 63 14 Chestnut Drive Indianapolis IN, ShipToName= Adam Park Resort (highlighted with a red border), SubTotal=\$89.90, Tax=\$0.00, TotalAmount=\$89.90, TradeDiscount=, UnitPrice=\$49.95 \$39.95, UOM= Each Each. At the bottom, there are three buttons: 'Cancel', 'Skip', and 'Next >' (highlighted with a green border).

23. Type in a value for the **Recipient's Phone Number**, and click **Next**.




The screenshot shows a dialog box titled "RightFax Wizard" with a close button in the top right corner. The main text reads: "Please enter or select a value for *Recipient's Phone Number*". Below this, a sub-instruction says: "To use a static value, please type it in the box below. To use a dynamic value, please click the appropriate button below and then select it from the list." There are two input options: "Static:" followed by a text box containing "555-555-1234", and "Dynamic:" followed by a button that says "Click here to select variable (dynamic) information". At the bottom of the dialog, there are three buttons: "Cancel", "Skip", and "Next >". The "Next >" button is highlighted with a green border.

24. Type in "Quote Information" for the **Subject** and click **Next**.




The screenshot shows a dialog box titled "RightFax Wizard" with a close button in the top right corner. The main text reads: "Please enter or select a value for *Subject*". Below this, a sub-instruction says: "To use a static value, please type it in the box below. To use a dynamic value, please click the appropriate button below and then select it from the list." There are two input options: "Static:" followed by a text box containing "Quote Information", and "Dynamic:" followed by a button that says "Click here to select variable (dynamic) information". At the bottom of the dialog, there are three buttons: "Cancel", "Skip", and "Next >". The "Next >" button is highlighted with a green border.


25. For “Notes”, we would like to again use variable data from the print stream. To do so, first click the button “Click here to select variable data”. From the list that appears, select **Description** and click **Finish**.




26. You have completing configuring your simple RightFax workflow. Your 2 objects (“RightFax Demo” and “RightFax”) should all be green meaning they have been successfully configured and the workflow is ready to be created.



27. To make all the appropriate forms and changes, the workflow must be executed.


This is done by clicking the “**Execute**” button  on the menu bar. After execution, you will be notified of the configuration that has taken place. Click **OK**.




28. You can now close the Workflow Designer. Your form has been saved in your default forms directory. A backup of your original **Fax.FOM** file has been copied to the “**Workflow Designer Original Forms**” folder in your forms directory. **Any permanent form changes should be made to this original form as it is used throughout the form configuration process as a template. If changes are made to this template, you will have to execute your workflow again to see the changes in the forms.**

29. The Spooler should now be started by clicking **Start>Programs>Reform...>Spooler**. Once it is open, press the **Start** button. It should now say **Start** in the lower left corner.


- a. If it was already running, it will need to be stopped and restarted so that it recognizes the new forms that were created by the Workflow Designer.




30. Navigate to your `\Reform\Backups\` directory. Select the **Fax.out** file, right click the file, and select **Copy**.



31. Navigate to your `\Reform\Spooler\` directory. Paste the file into the Spooler directory. (Pasting the data stream to this folder simulates printing from Windows, AS400, Unix, etc.)



32. When the Spooler Application begins processing the file, you will notice the file name change to something similar to the image below.



33. Once the document is faxed, the demonstration is complete. If you are not getting your output, Reform Spooler might not have the correct permissions to process the file. Please see the Reform 12 manual for more information. You can re-print the document by copying the file from the backup directory to the spooler directory again. You can also create a new form and configure it using the Workflow Designer.

- *Check your RightFax server to make sure the fax was successfully sent.
- *Check your RM_RightFAX_Monitor Service to see if it is running

Attachment Setup


To configure Reform to use attachments with Reform Rightfax, open your Reform Designer. Open the form you would like to adjust and go to File > Page Setup. Click on the **Attachment Setup** button beside the **Transport Type** dropdown list in Page Setup to call up the Attachment Setup dialog box. The Attachment Setup dialog allows you to choose from various file types, resolutions and color formats for your attachments.

The recommended attachment type for the RightFax plugin is a TIFF image with Group 4 compression. The Workflow Designer automatically configures this for you.

Note: You can change the Color format to Gray Scale or Color, but you will experience a noticeable speed difference.

Fax Cover Page

To use the RightFax cover page in your faxes, open your Reform Designer. Open the form you would like to adjust and select **Options > Automation > Fax Cover Page**. Instead of browsing for a cover page, type in the fax cover name that exists in your RightFax System. To use RightFax's default cover page, type **System Default** as the Cover Page, as pictured below.



Maintenance

There are certain directories that need to be monitored for growth along with the RightFax plugin for Reform 12. As a system processes more and more jobs, the size of these directories can grow very quickly. Overall system performance can be affected by the large amounts of space that the files may take up. Obsolete files should be deleted according to your needs and file retention specifications. It is recommended to monitor the following directories for growth:

Directories:

C:\Program Files\Reform...\Backups

C:\Program Files\Reform...\Spooler\ImageQueue

Troubleshooting

- The RightFax Client must be installed on the computer running Reform. Reform communicates with RightFax using Port 445; this port must be permitted if any firewalls or network monitors are running.
- Check all RightFax server settings including username and servername.
- Make sure you are able to ping the fax server from the server running Reform.
- Verify that the RightFax FaxUtil can connect to your RightFax server properly.

Q: Nothing is happening after the form is processed. How can I determine the cause of an issue?

A: Check the Event Log for errors related to Reform or RightFax. The Event Log can be accessed by going to Control Panel > Administrative Tools > Event Log. This will usually give you a good idea about why the faxes might be failing.

Rightfax Service permissions:

- Go to RM_RightFAX_Monitor Service and go into the properties. In the log on tab, use an administrator account and password to run the service as.

Other company or product names mentioned herein may be trademarks or registered trademarks of their respective companies